




F.H. BRUNDLE
SERVING THE TRADE SINCE 1889



2019 NEW PRODUCTS

OVER
30 PAGES
OF NEW
PRODUCTS!




Rinato™ WPC & Polymer Deck Boards




Marano® Railings



Channel Systems



Glass Spigots



Top Rail Systems



ROSPA Gates & Railings



Fencing Solutions



GRP Palisade

YOUR GUIDE TO THE BIGGEST MASTER CATALOGUE EVER!

WROUGHT IRON COMPONENTS

RINATO™ POLYMER FENCE & GATE BOARDS (p.80)



The look of wood without the hassle!

- | | | | |
|--|---|---|---|
|  Virtually maintenance free |  Easy to install |  UV resistance |  Made from recycled material |
|  Flammability tested |  Rot free |  Splinter free |  Anti-slip resistance tested |



3 stunning colours available in 1.8 & 3.6m boards.

POST CAPS (p.98)

Rectangular Cap
With flange



Square Cap
With flange



Hollow Square Base Post Cap
With sphere



Post Cap



HANDRAIL BRACKETS (p.243)

Rectangular Back Plate
To suit Ø 42.4 & 48.3mm tube



Circular Back Plate
To suit Ø 42.4 & 48.3mm tube



Snap Fit Cover Plate
To suit Ø 42.4 & 48.3mm tube



FIRE PITS & BASES (p.223)

London Skyline Fire Pit

Ø 600mm



Ready to go

Fire Pit

Ø 600mm approx.



Add your own profile

Steel Bowls (p.109)

Ø 500 - 900mm



Make your own

GATE HARDWARE

ADJUSTABLE SELF-CLOSING GATE CLOSERS (p.286)



Locinox Verticlose 2 (p.287)



- Adjustable closing speed and closing pressure
- For square profiles and wall fixing 180° or 90° mountings
- For left & right hand gates
- Easy mounting with Quick-Fix
- Suitable for gates up to 150kg
- Maximum gate width 1.5m

Locinox Lion Gate Closer (p.288)



- Retro fit
- Self-closing with opening angle of 180°
- For left and right opening gates
- Easy mounting with Quick-Fix
- For gates up to 75kg max and 1.1m width
- Powder coated aluminium casing
- Adjustable force & closing speed

Locinox Tiger Gate Closer (p.288)



- Self-closing with opening angle of 180°
- For left and right opening gates
- Easy mounting with Quick-Fix
- For gates up to 75kg max and 1.1m width
- Bottom hinge included
- Conforms to RoSPA regulations

Locinox Rhino Gate Closer (p.289)



- Self-closing with opening angle of 180°
- For left and right opening gates
- Easy mounting with Quick-Fix
- For gates up to 150kg max and 1.5m width
- Adjustable force & closing speed
- Conforms to RoSPA regulations

- For use with Rhino gate closer & GBMU hinges
- Supplied with Ø 5 & 15mm drill bits
- Positions Rhino perfectly with regards to hinge
- Includes accessories for assembly & adjustment of Rhino gate closer
- Not supplied with drill

Rhino Drill Template (p.289)



MODULEC SA KIT (p.289)



Modulec Electric Keep



- 300kg resistance to pressure on latch bolt
- For left or right opening gates
- Suitable for 40 - 60mm box sections
- 12 - 24V and AC/DC
- Quick-fix fixing

Slimstone Keypad



- Integrated LED lighting
- IP68 rating water, dust & frost protection
- Stainless steel front plate & keys with aluminium housing
- Supplied with 2m cable
- Programming up to 100 codes
- Quick-fix fixing

Kit contains electric keep, slimstone keypad and motor.

Locinox Electradrop (p.298)



- Motorised electrical 24v drop bolt
- Vandal proof
- Fitted with relay for drop bolt detection
- Obstacle detection with automatic stop
- For gate profiles of 40mm or more
- Throw: 115mm

Universal Hinge (p.276)

BZP pin & washer



Full range of hinges from page 272

Spring Gate Closer (p.286)



For gates up to 60kg max

SUPERLOCK BOLT-ON GATE LOCKS (p.304)



- For use with a wide range of gate styles
- Left or right opening gates

Latch



- Adjustable latch bolt
- Precise fitting on-site

Combination



- Choice of locking solutions
- 70mm wide case

Quick Exit



SWING GATE LOCKS (p.312)

Insert Swing Lock Kit



Kit includes: lock, handle, cylinder and barrel protector.



Keep Box



Lock Box



GATE HARDWARE

CANTILEVER GATE HARDWARE (p.332)

COMUNELLO

5 Wheel Support Roller



8 Wheel Support Roller



For gate widths 3.5 - 18m and weights of 350 - 1950kg.

Track



3 & 6m lengths. Mild Steel and galvanised available.


Standard & heavy duty cantilever kits available.

- Compact
- Up to 12m opening
- Quick & easy to install

GUARDIAN CANTILEVER GATE KIT (p.343)



BI-FOLDING GATE KIT (p.344)



The ideal solution for limited spaces in residential areas.

- Compact
- Max opening single leaf 5m & double leaf 10m
- Quick & easy to install
- Motorized with arm or on ground

Allows for a much smaller space next to the opening of the gate.

- Compact
- Up to 11.4m opening
- Quick & easy to install

TELESCOPIC GATE KIT (p.345)



FTX - ARTICULATED ARM SWING GATE AUTOMATION (p.367)



CAME  **CONNECT**

24 DC

**EN
TESTED**

- For single and double leaf gates
- Ideal for small or medium size brick or stone pillars
- Self diagnosing of safety devices
- Manual release mechanism in the event of a power cut

**To suit 2m gate
leaves weighing up
to 200kg.**

MESH

RIBLATH & LATH (p.406)



Available in Stainless Steel Grade 304, Galvanised Steel & DX51 Galvanised Steel

BRICK REINFORCEMENT (p.407)




Available in Stainless Steel Grade 304 & DX51 Galvanised Steel

**The widest range of
stocked mesh clips.
From page 719.**



RINATO™ WPC & POLYMER DECK BOARDS (p.441)



Virtually maintenance free



Excellent UV resistance



Easy to install



Does not absorb moisture




Splinter free




Flammability tested

Rinato™ Deck Boards come with a 25 year UK backed warranty.

Natural - Wood Plastic Composite (Capstock)




Classic - Wood Plastic Composite



Heritage - Wood Plastic Composite



Premium - Premium Polymer




SOLAR POWERED POST CAPS (p.450)



Available in:



Black



White



Tan

Supplied with adaptors to suit 90 x 90 and 100 x 100mm posts and 2 batteries.

ALUMINIUM DECKING SUBSTRUCTURE (p.448)



SELF-LEVELLING DECKING PEDESTALS (p.449)



ADJUSTABLE DECKING SUPPORT CRADLES (p.450)



DECK FRAME CONNECTORS (p.451)



DECKING SUBSTRUCTURE (p.453)



PLASTIC FENCING PALES (p.453)



PLASTIC PALISADES (p.453)



HANPAVE PARKING SOLUTION (p.454)



HEAVY DUTY GROUND GRID (p.454)



GABIONS (p.455)



- Cost effective
- Great for stabilising earth movement
- A robust yet natural look
- Free from bulges and depressions
- Fits easily against walls
- Quick to install

H x W x D m	Code
0.5 x 0.5 x 0.5	01085553
1.0 x 0.5 x 0.5	01081553
1.0 x 1.0 x 0.5	01081153
1.0 x 1.0 x 1.0	01081113
1.5 x 0.5 x 0.5	010815553
1.5 x 1.0 x 0.5	010815153
1.5 x 1.0 x 1.0	010815113
2.0 x 1.0 x 1.0	01082113

3 x 3" mesh. Supplied with spirals x 12 for basket assembly.






Image shows two baskets connected using ties code: **0108001**.

OPEN STEEL FLOORING (p.424)



- Galvanised and mild steel
- Standard panels - 1 x 1m and 6 x 1m
- A full range of bar & mesh sizes
- Serrated edge available

Ø 20 - 35mm Ball Proof Grating




Fully compliant to BS4592-0:2006+A1:2012.


MARANO® SQUARE & ROUND PROFILES (p.518)

A range of innovative railing systems designed to be fully modular. The pre-assembled aluminium posts have a stunning satin anodised finish and are available in square and round profiles ready to install.


**Square Posts
With Handrail**




**Out of the box
ready to install.**



**Square Posts
Without Handrail**



Square Post With Rectangular Handrail



Round Post With Oval Handrail



Standard glass panels from stock.

HANDRAILING

MARANO® HORIZON (p.527)



A range of anodised aluminium handrail fittings and tube that offers a modular system that easily glues and screws together. The end result is a stunning, low maintenance, lightweight and durable handrail solution.

Square Glass Clamp
Round back



Fixed Handrail Saddle



Adjustable Corner



Fascia Mount Bracket



Large Fascia Mount Bracket



To suit 10mm glass

A CHOICE OF LOW MAINTENANCE ALUMINIUM TUBE OPTIONS

Anodised Aluminium



Golden Oak
Wood effect



Walnut
Wood effect



Image shows application of handrail bracket code: **7605305F50**.

A cost effective range of anodised aluminium handrail fittings and tube.



Image shows application of adjustable split tube holder code: **7605509C**.


MARANO® CONTEMPORARY RAILING KITS (p.524)




Marano® Contemporary railing kits offer style and sophistication without compromising the views. With its simple slide technology, the channel is quick and easy to install.

TWO GLASS STYLES TO CHOOSE FROM


Two Glass Panels




Nine Glass Slats



RAILING KITS CAN BE CUT TO FIT DIFFERENT POST CENTRES:



Steel posts.



Wooden posts.



Brick pillars.

FIXING OPTIONS:

Mid Fascia Bracket



Inside Corner Fascia Bracket



Outside Corner Fascia Bracket




Bolt-Bown




FORTITUDE™ TRADITIONAL RAILING (p.513)

FORTITUDE™
HANDRAILING SYSTEMS



Fortitude™ railings are one of the easiest to install, most versatile, off the shelf handrail solutions on the market today.

Adjustable Raking Panel



- Panels can be cut to size on site to suit post centres
- Available in black sand and white gloss
- Premium anti-corrosive surface treatment and polyester powder coated finish

1. Made from
pre-galv steel

2. Zinc Phosphate
pre-treatment

3. Electro
coated

4. Quality Akzo Nobel
powder coated finish

Ø 5mm Pre-Drilled Bolt-Down Posts (p.515)

Available as end, mid and corner



Image shows application of a pre-drilled corner post with superior universal bracket.




EASYLADDER KIT (p.503)



Our grey and black modular ladder systems are designed for potable and stormwater, whereas our yellow ladder system is for use in sewage or foulwater applications.

- Fully modular design
- Incredibly lightweight & easily transportable
- Cost effective alternative to steel
- Easy to install
- Made from nylon PBT with 30 - 35% glass filled

ORIGINAL LADDER KIT (p.504)



Universal Self-Closing Half Gate

Supplied with fixing bolts



Ladder Security Plate

Supplied with fixing bolts



Ladder Rung



All these components are available to buy individually.

HANDRAIL STANDARD SELF-CLOSING GATES (p.467)



- Supplied with hinge post & slam plate
- Galvanised
- Gives 1100mm handrail height
- Horizontal tube centres 550mm on horizontal rails
- Gate post centres 1070mm
- Lockable with padlock through Ø 15mm hole

Our range of handrail standards are available from p.462.

SELF-CLOSING SAFETY GATES (p.480)

- Galvanised or polyester powder coated yellow
- Reversible, hinges can be on the left or right hand side of an opening to allow easy installation
- Quick & easy to assemble
- Fully adjustable height & width
- Easily cut to size on site
- Can fit round or square surfaces
- Retro fits to existing structures
- Single gates are supplied with welded on slam plates



Single Leaf Gate

Full Single Leaf Gate

Double Leaf Gate



Width 1m



Width 1m



Width 2.06m

**For use
with Tube
Clamps
& fixed to
round tube.**

SELF-CLOSING FABRICATED TUBE CLAMP GATES (p.511)



- Supplied with hinge post & slam plate
- Galvanised
- Gives 1100mm handrail height.
- Lockable with padlock through Ø 15mm hole
- Horizontal tube centres 550mm on horizontal rails
- Gate post centres 1070mm
- Base fittings not supplied
- No fixings required

For use with Tube Clamps & roof edge protection system.

GLASS STAND-OFF ADAPTERS (p.534)



Adjustable Stand-Off



To suit

10 - 21.5mm glass

- Through glass adjustment 8mm after glass fitted
- Up to 12mm multi-directional adjustment on wall
- No grub screws for bind free assembly
- Ultra slim 1 piece head design model
- No need to access behind glass once fitted
- Saves time on installations

Wall Aligning Adjustment 6 - 12mm




Adjust wall mount to get more alignment.




Use washer and nut to set up the wall mount.


Horizontal Adjustment From Wall



Assemble components and adjust within 2mm from the wall.



Align glass by winding in or out by adjusting tool.



When complete use adjusting tool to wind out the locking bush to secure in place.



Up to 8mm glass adjustment from the wall. Horizontal glass adjustments can be made with glass installed.

GLASS SPIGOTS (p.536)



Square



To suit
12 - 21.5mm glass

Duplex Round



To suit
12 - 15mm glass

Great Price!

New, Bigger Range!

liveconfigurator™

REAL TIME DESIGN

Liveconfigurator™ is an amazing tool which can save you valuable time and help avoid costly mistakes. It can provide you with a quote and detailed, accurate CAD drawings in minutes.

CHOOSE A SYSTEM, SELECT A TEMPLATE AND CONFIGURE


PRE-ASSEMBLED POST SYSTEMS



FRAMELESS GLASS BALUSTRADE SYSTEMS



GLASS SPIGOT SYSTEMS



www.liveconfigurator.co.uk


- Get a quote in minutes
- Use 24/7 any day of the year
- For fabricators, designers, installers and architects
- Save hours of time drawing
- Automatically configure drawings
- Provide accurate, detailed layout drawings
- A choice of styles, layouts and components
- Makes installation easier and faster

BALUSTRADE SYSTEMS (p.539)


The widest range of balustrade systems on the market!




Pro-Lite (p.540)
To suit 10mm glass




Wedge-Loc® Slim (p.542)
To suit 12 - 21.5mm glass




PanelGrip® (p.544)
To suit 12 - 21.5mm glass




Posi-Glaze (p.546)
To suit 12 - 21.5mm glass




Origin-R (p.548)
To suit 12 - 21.5mm glass



Mega-Grip 3kN (p.550)
To suit 25 - 33mm glass



OnLevel Type 6020 & 6021 (p.553)
To suit 12 - 21.5mm glass



OnLevel Type 3010 (p.555)
To suit 12 - 21.5mm glass



OnLevel Type 3010 (p.556)
To suit 12 - 21.5mm glass



TOP RAIL SYSTEMS (p.559)


The widest range of top rail systems on the market!




Square Slim (p.560)
To suit 12 - 21.5mm glass



Aluminium Square (p.561)
To suit 8 - 21.5mm glass




Square Mini (p.562)
To suit 10 - 12mm glass



Round Mini (p.563)
To suit 10 - 12mm glass




Rectangular (p.564)
To suit 8 - 21.5mm glass



Oval (p.565)
To suit 8 - 21.5mm glass




Round (p.566)
To suit 8 - 21.5mm glass




Mirror Finish Round (p.599)
To suit 8 - 21.5mm glass

PRO-LITE CHANNEL SYSTEM (p.540)




Our lightest & most cost effective frameless glass aluminium channel yet.


ALUMINIUM TOP RAIL - 30 x 28mm (p.561)




ROUND MINI TOP RAIL - Ø 26mm PROFILE (p.563)



RECTANGULAR HANDRAIL SYSTEM - 40 x 10mm (p.583)



PRE-ASSEMBLED POSTS (p.567)



Handrailing made easy!

Save a huge amount of time & money with our extensive range of pre-assembled posts, supplied from stock. They are all tested to BS 6180. No drilling of tubes, no bolting on of glass clamps & no welding of base plates required. We've done the work for you!


Straight out of the box and ready to install:

- Ø 42.4 & 48.3mm round posts
- 40 x 40mm square posts
- Strand wire rope posts
- Crossbar holder posts
- Satin & mirror polish
- Stainless steel Grade 304 & 316

Great prices!

- Standard stocked sizes
- Toughened & toughened laminated
- Polished edges
- Dubbed corners

STANDARD GLASS PANELS (p.617)



SLEEVE FIT BRACKETS (p.573)



STOP PRESS!

This system can be built without having to drill any stainless steel tube.

End Bracket



To suit Ø 42.4 and 48.3mm tube.

Mid Bracket




To suit Ø 42.4 and 48.3mm tube.


75 - 185° Adjustable Corner Bracket



To suit Ø 42.4 and 48.3mm tube.



Great for slopes, curves and stairs.



6mm WIRE ROPE SYSTEMS (p.576)



Now stocking 3 & 6mm wire & fittings.

Cable Tensioner
For flat runs



Cable Tensioner
For stairs and slopes



Upward Angled Wire Rope Holder
For angles + / - 35°



Downward Angled Wire Rope Holder
For angles + / - 35°



Cable Tensioner
Through fitting



Angled Wire Rope Holder
Left hand side




Tighteners to secure wire.

Angled Wire Rope Holder
Middle



Angled Wire Rope Holder
Right hand side



MORE NEW COMPONENTS!

**7 Groove
Flat Top**



STYLISH
(p.581)

**Grab Rail
Bracket**



PRACTICAL
(p.582)

**Adjustable Handrail
Support Bracket**



EASY INSTALL
(p.585)

Large Glass Clamp
Flat back
18 - 21.5mm glass



NEW
(p.591)

**Adjustable Handrail
Bracket**
Glass/flat



(p.583)

**Internal Fit
Tube Flange**
Hammer fix



(p.587)

**Tube
Support**



(p.588)

Round Glass Clamp
Round back
8 - 12mm glass




(p.590)

STIFFENERS (p.595)



BZP or Duplex 2205.


**Adjustable
90 - 180° Bracket**



180° Bracket



90° Bracket




Wall Bracket



To suit 12 - 21.5mm glass

GLASS CONNECTOR (p.595)



Domed Front & Back



To suit 12 - 21.5mm glass

JULIET BALCONIES (p.600)



FORTITUDE™ TRADITIONAL (p.600)



VERONA BALCONY KITS (p.601)



ELEGANCE JULIET (p.602)



ELEGANCE ROMEO (p.603)



SKY FORCE (p.604)



**The widest range of Juliet
Balconies from stock.**

PARKLAND FENCING AND GATES (p.639)



The cheapest estate fencing on the market!

FORTITUDE™ ROSPA BOW TOP RAILINGS & GATES (p.644)



Ready to install!

ROSPA bow top railings and gates, designed to give you peace of mind.


- Single and double leaf gates
- Galvanised or polyester powder coated black
- Rounded safety top panels
- No finger, head or neck traps
- Single gates supplied with a self-closing Locinox Tiger hinge

FORTITUDE™ READY TO INSTALL GATES & FENCE PANELS (p.652)



A sturdy range of ready-to-install gates and fencing panels with a choice of contemporary railheads.

- Single and double leaf gates
- Concrete-in and bolt down posts
- Galvanised or polyester powder coated black
- Side latch with padlock holes
- Ø 12mm bar



CHAIN LINK POSTS (p.661)




To suit fence height 0.9 - 2.4m.

MESH GATES 656 (p.679)




Single and double leaf gates to suit a range of heights & widths.

Single Leaf Gate
Single panel



Double Leaf Gate
Single panel



Double panel double leaf gate available.

PALISADE GATES (p.690)



Single and double leaf gates to suit a range of heights & widths.

BEKAFIX® POST SYSTEM (p.676)



To suit fence height 1.7 - 2.4m.

Single Leaf 1.2m Gate & Posts



Available as galvanised, PPC green or black.

SITE GATES (p.678)



Single and double leaf gates to suit a range of heights & widths.

Single Leaf 1.2m Gate & Posts



Galvanised finish.

GRP PALISADE GATES & FENCING (p.693)



GATE

PANEL



A unique solution for the likes of Network Rail and National Power.

- Zero metal parts
- Non Conductive
- Lightweight
- Long-lasting
- UV resistant
- Panels supplied assembled
- 1.8 & 2.4m panel heights
- Bolt-down and concrete-in

VEHICLE BARRIERS (p.677)




Our range of vehicle barriers are a simple, cost-effective way to restrict vehicle access to your premises.

Vehicle Barrier



Vehicle Height Restriction Barrier




Available in 3, 4 & 5m widths, up to 2.93m high.

MARANO® FENCING (p.632)



A stunning range of aluminium fencing that is long lasting, low maintenance, easy to work with and lightweight.

Convex



- Contemporary convex slats
- Available in 6m lengths
- Fits to the external face of the posts
- Available in golden oak and anthracite grey

Stripe

- Double sided slats
- Available in 6m lengths
- Quick easy to build privacy fences
- Create different effects
- Available in golden oak and anthracite grey



Elements



- Our most versatile slat system
- Double sided slats
- Alternate slats with acrylic or anodised aluminium strips
- Create unique styles
- Available in golden oak and anthracite

Breeze

- Easily to install slatted kits
- Suits our 1.2 & 1.8m posts
- Fits between posts with discreet fixings
- Available in larch wood effect



CRASH BARRIERS (p.704)



Concrete-In 'Z'



Bolt-down 'Z'



Beams



Fishtail End
With yellow reflectors



Fantastic prices!

Available in
yellow & black.

BOLLARDS (p.708)

Yellow High
Intensity
Lightweight



Metal
Concrete-in



Metal
Bolt-down



Hinged
Parking Post



Check out our great prices!

SPIN GUARD (p.695)





F.H. BRUNDLE

SERVING THE TRADE SINCE 1889



If you would like to know more about what we do, you can view our new video at www.fhbrundle.co.uk or on YouTube.



Southampton

Tel: 023 8070 3333

Fax: 023 8070 5555

southampton@brundle.com

London

Tel: 01708 25 35 45

Fax: 01708 25 35 50

sales@brundle.com

Ilkeston

Tel: 0115 930 2070

Fax: 0115 951 2455

ilkeston@brundle.com

Birmingham

Tel: 0121 565 8282

Fax: 0121 565 8292

birmingham@brundle.com

Haydock

Tel: 01942 86 88 88

Fax: 01942 86 88 99

haydock@brundle.com

Glasgow

Tel: 0141 773 6699

Fax: 0141 773 6633

glasgow@brundle.com